

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 6 1963

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed NOV 6 1963

The applicant WHITE ROCK MOUNTAIN HOME CORPORATION  
of Las Vegas, County of Clark,

State of Nevada, hereby make a application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Date of incorporation is May 31, 1962 - Carson City, Nevada

1. The source of the proposed appropriation is an underground source  
Name of stream, lake or other source.

2. The amount of water applied for is 0.03 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet \_\_\_\_\_ acre-feet

3. The water to be used for Quasi-municipal and Domestic Use  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) \_\_\_\_\_

(b) Stockwater (state number and kinds of animals to be watered) \_\_\_\_\_

(c) Other use (describe fully under "No. 11. Remarks") \_\_\_\_\_

(d) Power:

(1) Horsepower developed \_\_\_\_\_

(2) Point of return of water to stream \_\_\_\_\_

5. The water is to be diverted from its source at the following point: NE 1/4 SW 1/4 Section 2, Township 19

South, Range 56 East, M. D. B. & M., or at a point from which the Northwest corner  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

of Tract 39 of said Section 2 bears North 50° 22' 49" East a distance of 1194.23 feet  
it should be stated.

6. Place of use portion of the NE 1/4 SW 1/4, a portion of the NW 1/4 SE 1/4, and a portion of the  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

SW 1/4 NE 1/4 of Section 2, Township 19 South, Range 56 East, M. D. B. & M.

7. Use will begin about January 1 and end about December 31, of each year.  
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, 8 inch casing with mis-

cellaneous size pipes to points of use.  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$3,000.00
10. Estimated time required to construct works.....60 days
11. Remarks Water is to be provided for Lee Canyon Summer Home Sites for normal domestic consumption, some of the homes being occupied twelve months out of the year.

Applicant WHITE ROCK MOUNTAIN HOME CORPORATION

By s/ B. J. Vasey

B. J. Vasey - State Water-Right Surveyor  
C/o Tyson Engineering Company

Compared rap/hs hs/ns

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water and is limited to what the well will produce but not to exceed 0.025 c.f.s. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening and an air line for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.025 cubic feet per second, not to exceed 3.0 m.g. annually.

Actual construction work shall begin on or before October 20, 1964

Proof of commencement of work shall be filed before November 20, 1964

Work must be prosecuted with reasonable diligence and be completed on or before October 20, 1965

Proof of completion of work shall be filed before November 20, 1965

Application of water to beneficial use shall be made on or before October 20, 1966

Proof of the application of water to beneficial use shall be filed on or before November 20, 1966

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed April 9, 1964

Completion of work filed April 16, 1965

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

Recorded JAN 17 1969 Page

BECAUSE OF FAILURE

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

218 (Rev.)

By

STATE ENGINEER

WITNESS MY HAND AND SEAL this 20th day of April, 1964

ELMO J. DERICCO

State Engineer

Assistant State Engineer